




Bearing No. NTC-1427

H	43.66
d	22,23 mm
D	42,85 mm
T	1,984 mm
Cu	8.05
Dc	42.85
d1	42.86
Dw	1.984
Eb	25,91 mm
Ca	18.46
Ea	39,878 mm
C0a	78.29
Dc1	22.23
Noun	Roller Assembly
UNSPSC	31171500
Bore 1	0.875 Inch 22.225 Millimeter
Banded	No
Bore 2	0.875 Inch 22.225 Millimeter
Height	0.078 Inch 1.981 Millimeter
h(max)	1.60
h(min)	1.52
S(max)	22.23
Weight	0,008 Kg
S(min)	22.15
Category	Thrust Roller Bearings
Inventory	128.0
Size (mm)	22.23x42.85x1.984
Width (mm)	1,984

Bearing No.	NTC-1427
Weight / LBS	0.017
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTC-1427
Keyword String	Thrust Needle
Other Features	Single Row
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	1.688 Inch 42.875 Millimeter
Long Description	7/8" Bore 1; 7/8" Bore 2; 1-11/16" Outside Diameter; 5/64" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assem
(Refer.)Mass(kg)	0.008
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.008
Manufacturer Name	KOYO
Bore Diameter (mm)	22,23
Washer designation	TRB-1427
Outer Diameter (mm)	42,85
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	9800
Harmonized Tariff Code	8482.99.25.40
(Refer.)Washer	0.013



mass(kg)	
Manufacturer Item Number	NTC-1427
Single or Double Direction	Single Direction
Basic static load rating (C0)	78,29 kN
Basic dynamic load rating (C)	18,46 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter