




Bearing No. NTA-5266

H	105.56
d	82,55 mm
D	104,78 mm
T	3,175 mm
Cu	30.9
Dc	104.78
d1	104.78
Dw	3.175
Eb	85,34 mm
Ca	51.60
Ea	100,58 mm
C0a	294.9
Dc1	82.55
Noun	Roller Assembly
UNSPSC	31171500
Bore 2	3.25 Inch 82.55 Millimeter
Banded	No
Height	0.125 Inch 3.175 Millimeter
Bore 1	3.25 Inch 82.55 Millimeter
h(max)	0.81
h(min)	0.76
S(max)	82.55
Weight	0,042 Kg
S(min)	82.47
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	82.55x104.78x3.175
Width (mm)	3,175

Bearing No.	NTA-5266
Weight / LBS	0.092
Product Group	B04144
Self Aligning	No
Cage Material	Steel
Inch - Metric	Inch
Bearing number	NTA-5266
Keyword String	Thrust Needle
Other Features	Single Row Two Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	4.125 Inch 104.775 Millimeter
Long Description	3-1/4" Bore 1; 3-1/4" Bore 2; 4-1/8" Outside Diameter; 1/8" Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Asse
(Refer.)Mass(kg)	0.042
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.041
Manufacturer Name	KOYO
Washer designation	TRA-5266
Bore Diameter (mm)	82,55
Outer Diameter (mm)	104,78
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Limiting speeds(min-1)	4000
Harmonized Tariff Code	8482.99.25.40



(Refer.)Washer mass(kg)	0.020
Manufacturer Item Number	NTA-5266
Single or Double Direction	Single Direction
Basic static load rating (C0)	294,9 kN
Basic dynamic load rating (C)	51,6 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter