




Bearing No. 6017

D	130 mm
d	85 mm
B	22 mm
C	22 mm
f0	15.8
Cu	2.35
Cr	61.8
C0r	43.1
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,89 Kg
r(min)	1.1
r min.	1,1 mm
da min.	91,5 mm
ra(max)	1
Da max.	123,5 mm
Da(max)	123.5
da(min)	91.5
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	5900
Inventory	0.0
Enclosure	Open
Size (mm)	85x130x22
Snap Ring	No
Width (mm)	22
Grease lub.	5000
Bearing No.	6017

Weight / LBS	2.122
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6017
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.866 Inch 22 Millimeter
Long Description	85MM Bore; 130MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	5.118 Inch 130 Millimeter
(Refer.)Mass(kg)	0.890
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.963
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5900 r/min
Manufacturer Item Number	6017
Internal Special Features	No
(Grease) Lubrication Speed	5000 r/min

Basic static load rating (C0)	43,1 kN
Basic dynamic load rating (C)	49,5 kN
Maximum Capacity / Filling Slot	No