



Bearing No. HK2212

	IR17X22X13 / Suitable inner ring
D	28 mm
m	15 g / Weight
Bore	0.866 Inch 22 Millimeter
Noun	Bearing
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	22x28x12
Inventory	0.0
Width (mm)	12
Closed End	No
Weight / LBS	0.033
Self Aligning	No
Product Group	B04144
Inch - Metric	Metric
n _B	8300 1/min / Reference speed
n _G	11700 1/min / Limiting speed
C _r	9100 N / Dynamic load rating (radial)
F _w	22 mm

Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Relubricatable	No
C _{ur}	1600 N / Fatigue limit load, radial
C _{0r}	13400 N / Static load rating (radial)
Thrust Bearing	No
Keyword String	Needle
Bearing number	HK2212
Rolling Element	Needle Roller Bearing
r _{min}	0,8 mm
Long Description	22MM Bore; 28MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0.02
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	22
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK2212
Number of Rows of Rollers	Single Row
C - 12 mm / Tolerance:	12 mm / Tolerance: 0,3

-0,3	
------	--