



Bearing No. 23156BK

D	460 mm
d	280 mm
B	146 mm
C	146 mm
Bore	11.024 Inch 280 Millimeter
Noun	Bearing
Width	5.748 Inch 146 Millimeter
Weight	94,6 Kg
UNSPSC	31171510
r min.	5 mm
ra max.	4 mm
da min.	302 mm
Da max.	438 mm
Category	Spherical Roller Bearing
Size (mm)	280x460x146
Enclosure	Open
Inventory	0.0
Width (mm)	146
Weight / LBS	207.74
Bore Profile	Tapered
Cage Material	Bronze
Product Group	B04311
Inch - Metric	Metric
Relubricatable	Yes
Bearing number	23156BK
Withdrawal Nut	HM62T
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available

Keyword String	Spherical
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Long Description	280MM Tapered Bore; 460MM Outside Diameter; 146MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	18.11 Inch 460 Millimeter
Weight / Kilogram	94.31
Withdrawal Sleeve	AH3156 AOH3156 (Specify bore)
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	280
Outer Diameter (mm)	460
Adapter Part Number	SNP3156 H3156 (Specify bore) Inch H3156 (Specify bore) Millimeter
Minimum Buy Quantity	N/A
Harmonized Tariff Code	84823080
Calculation factor (e)	0,32
(Oil) Lubrication Speed	850 r/min
Calculation factor (Y0)	2,09
Calculation factor (Y1)	2,13
Number of Rows of	Double Row

Rollers	
(Grease) Lubrication Speed	650 r/min
Basic static load rating (C ₀)	4 250 kN
Basic dynamic load rating (C)	2 300 kN