




Bearing No. HK2210

D	28 mm
m	13 g / Weight
Bore	0.866 Inch 22 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.394 Inch 10 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Separable	No
Enclosure	Open
Size (mm)	22x28x10
Inventory	0.0
Component	Roller Assembly with Outer Ring - No Inner Ring
Closed End	No
Width (mm)	10
Weight / LBS	0.029
C_r	7500 N / Dynamic load rating (radial)
Inch - Metric	Metric
n_B	8400 1/min / Reference speed
F_w	22 mm
Self Aligning	No
n_G	11700 1/min / Limiting speed
Product Group	B04144
Bearing number	HK2210

Relubricatable	No
C _{ur}	1360 N / Fatigue limit load, radial
Keyword String	Bearing Needle
C _{0r}	10500 N / Static load rating (radial)
Thrust Bearing	No
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
r _{min}	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	22MM Bore; 28MM Outside Diameter; 10MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.012
Bore Diameter (mm)	22
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	HK2210
Number of Rows of Rollers	Single Row
C - 10 mm / Tolerance: -0,3	10 mm / Tolerance: 0,3

