




Bearing No. HK2220

	IR17X22X23 / Suitable inner ring
D	28 mm
m	26 g / Weight
Bore	0.866 Inch 22 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	22x28x20
Inventory	0.0
Width (mm)	20
Closed End	No
Weight / LBS	0.057
Self Aligning	No
Product Group	B04144
Inch - Metric	Metric
n_B	7900 1/min / Reference speed
n_G	11700 1/min / Limiting speed
C_r	16500 N / Dynamic load rating (radial)

F_w	22 mm
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Relubricatable	No
C_{ur}	3850 N / Fatigue limit load, radial
C_{or}	29000 N / Static load rating (radial)
Thrust Bearing	No
Keyword String	Bearing Needle
Bearing number	HK2220
Rolling Element	Needle Roller Bearing
r_{min}	0,8 mm
Long Description	22MM Bore; 28MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0.026
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	22
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	HK2220
Number of Rows of Rollers	Single Row

C - 20 mm / Tolerance: -0,3	20 mm / Tolerance: 0,3
--------------------------------	------------------------