




Bearing No. HK2220-2RS

	IR17X22X23 / Suitable inner ring
D	28 mm
m	26 g / Weight
Bore	0.866 Inch 22 Millimeter
Noun	Bearing
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	2 Seals
Size (mm)	22x28x20
Inventory	0.0
Component	Roller Assembly with Outer Ring - No Inner Ring
Closed End	No
Width (mm)	20
Weight / LBS	0.057
Inch - Metric	Metric
F _w	22 mm
Product Group	B04144
C _r	13400 N / Dynamic load rating (radial)
Self Aligning	No
Keyword String	Needle
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage

Thrust Bearing	No
Relubricatable	No
C_{ur}	2800 N / Fatigue limit load, radial
Bearing number	HK2220-2RS
C_{Or}	22100 N / Static load rating (radial)
r_{min}	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	22MM Bore; 28MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; 2 Seals Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0.032
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	22
$n_{G \text{ Fett}}$	8000 1/min / Limiting speed for grease lubrication
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK22202RS
Number of Rows of Rollers	Single Row
C_1 - 20 mm / Tolerance: -0,3	20 mm / Tolerance: 0,3

