



Bearing No. SL192315

F	91,22 mm
d	75 mm
D	160 mm
B	55 mm
s	3,5 mm / Axial displacement
m	5,3 kg / Weight
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
Width	2.165 Inch 55 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Inventory	0.0
Separable	Inner Ring - One Side
Size (mm)	75x160x55
Snap Ring	No
Width (mm)	55
Weight / LBS	13.992
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	2800 1/min / Limiting speed
d_1	101,6 mm
D_1	131,5 mm

C _r	460000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL192315
C _{ur}	87000 N / Fatigue limit load, radial
C _{Or}	465000 N / Static load rating (radial)
r _{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	75MM Bore; Straight Bore Profile; 160MM Outside Diameter; 55MM Width; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C3-Loose Internal Clearance; No Retain
Manufacturer URL	http://www.ina.com
Outside Diameter	6.299 Inch 160 Millimeter
Weight / Kilogram	6.347
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C3-Loose
Bore Diameter (mm)	75
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00

Manufacturer Item Number	SL192315 C3
Number of Rows of Rollers	Single Row