




Bearing No. SL192317

F	107,01 mm
m	7,34 kg / Weight
s	4 mm / Axial displacement
d	85 mm
D	180 mm
B	60 mm
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
Width	2.362 Inch 60 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	85x180x60
Inventory	0.0
Snap Ring	No
Separable	Inner Ring - One Side
Width (mm)	60
Bore Profile	Straight
Weight / LBS	19.378
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	570000 N / Dynamic load rating (radial)
D ₁	150,9 mm
d ₁	118,2 mm

n_G	2410 1/min / Limiting speed
Bearing number	SL192317
Other Features	Full Complement 1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	107000 N / Fatigue limit load, radial
C_{Or}	610000 N / Static load rating (radial)
r_{min}	3 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	85MM Bore; Straight Bore Profile; 180MM Outside Diameter; 60MM Width; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retai
Manufacturer URL	http://www.ina.com
Outside Diameter	7.087 Inch 180 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	8.8
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
Outer Diameter (mm)	180
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00



Manufacturer Item Number	SL192317
Number of Rows of Rollers	Single Row