




Bearing No. 6019

D	145 mm
d	95 mm
B	24 mm
C	24 mm
f0	15.8
Cu	2.75
Cr	75.5
C0r	53.9
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	1,21 Kg
r(min)	1.5
r min.	1,5 mm
da min.	103 mm
ra(max)	1.5
Da max.	137 mm
Da(max)	137
da(min)	103
ra max.	1,5 mm
Category	Single Row Ball Bearing
Oil lub.	5200
Inventory	0.0
Enclosure	Open
Size (mm)	95x145x24
Snap Ring	No
Width (mm)	24
Grease lub.	4400
Bearing No.	6019
Weight / LBS	2.952

Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6019
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	5.709 Inch 145 Millimeter
Long Description	95MM Bore; 145MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.945 Inch 24 Millimeter
(Refer.)Mass(kg)	1.21
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	1.34
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	145
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5200 r/min
Manufacturer Item Number	6019
Internal Special Features	No
(Grease) Lubrication Speed	4400 r/min
Basic static load rating	53,9 kN

(C0)	
Basic dynamic load rating (C)	60,4 kN
Maximum Capacity / Filling Slot	No