




Bearing No. 6019NR

f	2,82 mm
r	1.5
d	95 mm
D	145 mm
B	24 mm
C	24 mm
a	3,71 mm
b	3,1 mm
D1	140,23 mm
fo	15.8
C0	54
Dx	157
ro	0.6
D2	154,7 mm
Cy	6.1
D_	145
B_	24
rn	0,5 mm
ra	1.5
Z_	15
DE_	136.581
SRI	7.8
D_a	137
SRE	7.8
DI_	106.419
DA_	15.081
SRIX	0.03
SBRG	10
KBRG	6101
SREX	0.03

SDM_	121.5
bomp	0
yobi	6019NR
SRIN	-0.03
mass	1.23
SREN	-0.03
da max	108,5 mm
C_conv	60500
ALPHA_	0
Weight	1,23 Kg
r min.	1,5 mm
da min	103
LangID	1
GRS rpm	4500
hidYobi	6019NR
Oil rpm	5300
ra max.	1,5 mm
r0 max.	0,6 mm
da min.	103 mm
Da max.	137 mm
Category	Bearings
hidTable	ecat_NSRDGB
Size (mm)	95x145x24
Inventory	0.0
Width (mm)	24
Prod_Type3	DGBB_SR_NR_OT
Product Group	B00308
Bearing number	6019NR
Manufacturer Name	NSK
Weight / Kilogram	1.23
Bore Diameter (mm)	95
Outer Diameter (mm)	145

Minimum Buy Quantity	N/A
(Oil) Lubrication Speed	5 300 r/min
(Grease) Lubrication Speed	4 500 r/min
Basic dynamic load rating (C)	60,5 kN
Basic static load rating (C0)	54 kN