




Bearing No. LSL192322-TB

F	135,5 mm
m	17,3 kg / Weight
s	5 mm / Axial displacement
d	110 mm
D	240 mm
B	80 mm
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
Width	3.15 Inch 80 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	Yes
Size (mm)	110x240x80
Inventory	0.0
Snap Ring	No
Separable	Inner Ring - One Side
Width (mm)	80
Bore Profile	Straight
Weight / LBS	45.672
Cage Material	Brass
Inch - Metric	Metric
Product Group	B04144
C _r	880000 N / Dynamic load rating (radial)
D ₁	193,1 mm
d ₁	150,7 mm

n_G	5800 1/min / Limiting speed
Bearing number	LSL192322-TB
Other Features	1 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg Cage on Outer Ring ID
Relubricatable	Yes
C_{ur}	156000 N / Fatigue limit load, radial
C_{Or}	930000 N / Static load rating (radial)
r_{min}	3 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	110MM Bore; Straight Bore Profile; 240MM Outside Diameter; 80MM Width; Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Manufacturer URL	http://www.ina.com
Outside Diameter	9.449 Inch 240 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	20.716
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	240
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00



Manufacturer Item Number	LSL192322
Number of Rows of Rollers	Single Row