




Bearing No. 6021

D	160 mm
d	105 mm
B	26 mm
C	26 mm
f0	15.8
Cu	3.20
Cr	90.4
C0r	65.8
Bore	4.134 Inch 105 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	1,59 Kg
r(min)	2
r min.	2 mm
da min.	114 mm
ra(max)	2
Da max.	151 mm
Da(max)	151
da(min)	114
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	4700
Inventory	0.0
Enclosure	Open
Size (mm)	105x160x26
Snap Ring	No
Width (mm)	26
Grease lub.	4000
Bearing No.	6021

Weight / LBS	3.50535
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6021
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	1.59
Manufacturer URL	http://www.koyousa.com
Outer Race Width	1.024 Inch 26 Millimeter
Outside Diameter	6.299 Inch 160 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	105MM Bore; 160MM Outside Diameter; 26MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Manufacturer Name	KOYO
Weight / Kilogram	1.73
Internal Clearance	C0-Medium
Bore Diameter (mm)	105
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	4700 r/min
Internal Special Features	No

(Grease) Lubrication Speed	4000 r/min
Basic static load rating (C0)	65,8 kN
Basic dynamic load rating (C)	72,3 kN
Maximum Capacity / Filling Slot	No