




Bearing No. 7011DB

C	18 mm
a	30 mm
d	55 mm
D	90 mm
B	18 mm
2B	36 mm
Bore	2.165 Inch 55 Millimeter
Noun	Bearing
Width	1.417 Inch 36 Millimeter
UNSPSC	31171531
Db max	85,5 mm
r min.	1,1 mm
Weight	0,894 Kg
r1 min.	0,6 mm
da min.	62 mm
ra max.	1 mm
Category	Angular Contact Ball Bearing
ra1 max.	0,6 mm
Inventory	0.0
Size (mm)	55x90x18
Snap Ring	No
Enclosure	Open
Width (mm)	18
Flush Ground	Yes
Inch - Metric	Metric
Contact Angle	30 Degree
Cage Material	Steel
Product Group	B00308

Keyword String	Angular Contact
Bearing number	7011DB
Rolling Element	Ball Bearing
Angle (?)	25 °
Precision Class	ABEC 1 ISO P0
Outside Diameter	3.543 Inch 90 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	55MM Bore; 90MM Outside Diameter; 36MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 2 (1 Pair); D
Weight / Kilogram	0
Manufacturer Name	NTN
Bore Diameter (mm)	55
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Mounting Arrangement	Duplex-Back to Back
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	6 300 r/min
Basic dynamic load rating (C)	50,5 kN
Basic static load rating (C0)	52,5 kN
Maximum Capacity / Filling Slot	No

