




Bearing No. HK3520-2RS

	IR30X35X20,5 / Suitable inner ring
D	42 mm
m	41 g / Weight
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Separable	No
Enclosure	2 Seals
Size (mm)	35x42x20
Inventory	2.0
Component	Roller Assembly with Outer Ring - No Inner Ring
Closed End	No
Width (mm)	20
Weight / LBS	0.09
Inch - Metric	Metric
F _w	35 mm
Product Group	B04144
C _r	18700 N / Dynamic load rating (radial)
Self Aligning	No
Keyword String	Needle
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage

Thrust Bearing	No
Relubricatable	No
C _{ur}	4400 N / Fatigue limit load, radial
Bearing number	HK3520-2RS
C _{0r}	33500 N / Static load rating (radial)
r _{min}	0,8 mm
Rolling Element	Needle Roller Bearing
Long Description	35MM Bore; 42MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; 2 Seals Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Manufacturer URL	http://www.ina.com
Outside Diameter	1.654 Inch 42 Millimeter
Weight / Kilogram	0.05
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	35
n _{G Fett}	5000 1/min / Limiting speed for grease lubrication
Outer Diameter (mm)	42
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK35202RS
Number of Rows of Rollers	Single Row
C ₁ - 20 mm / Tolerance: -0,3	20 mm / Tolerance: 0,3

