



Bearing No. 6021DDU

r	2
d	105 mm
D	160 mm
B	26 mm
C	26 mm
D_	160
C0	66
Z_	15
ra	2
fo	15.8
B_	26
DI_	117.831
SRI	8.63
SRE	8.63
DE_	151.169
DA_	16.669
D_a	151
KBRG	6161
SBRG	10
SRIN	-0.03
bomp	0
SREX	0.03
yobi	6021DDU
SRIX	0.03
Bore	4.134 Inch 105 Millimeter
SDM_	134.5
SREN	-0.03
mass	1.58
Noun	Bearing

LangID	1
UNSPSC	31171504
da min	114
ALPHA_	0
r min.	2 mm
Weight	1,58 Kg
C_conv	72500
da max	120 mm
Da max.	151 mm
ra max.	2 mm
GRS rpm	2400
da min.	114 mm
hidYobi	6021DDU
Category	Single Row Ball Bearing
hidTable	ecat_NSRDGB
Size (mm)	105x160x26
Enclosure	2 Seals
Snap Ring	No
Inventory	0.0
Width (mm)	26
Prod_Type3	DGBB_SR_DD
Weight / LBS	3.4839
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel
Bearing number	6021DDU
Keyword String	Ball
Other Features	Deep Groove Rubber Seal
Enclosure Type	Contact Seal
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Inner Race Width	0 Inch 0 Millimeter

Outer Race Width	1.024 Inch 26 Millimeter
Long Description	105MM Bore; 160MM Outside Diameter; 26MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Manufacturer URL	http://www.nskamericas.com
Outside Diameter	6.299 Inch 160 Millimeter
Manufacturer Name	NSK
Weight / Kilogram	1.5
Internal Clearance	C0-Medium
Bore Diameter (mm)	105
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6021DDU
Internal Special Features	No
(Grease) Lubrication Speed	2 400 r/min
Basic static load rating (C0)	66 kN
Basic dynamic load rating (C)	72,5 kN
Maximum Capacity / Filling Slot	No