


Bearing No. HK4020



D	47 mm
C	20 mm
Cr	25.1
Fw	40 mm
Cu	8.00
C0r	50.4
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Weight	0.060 Kg
C3(min)	\
rs(min)	1
r5 min.	1 mm
Category	Needle Non Thrust Roller Bearing
Oil lub.	7900
Retainer	Yes
Inventory	0.0
Size (mm)	40x47x20
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Closed End	No
Width (mm)	20
Grease lub.	5200
Bearing No.	HK4020
Weight / LBS	0.132

Product Group	B04144
Inch - Metric	Metric
Self Aligning	No
Keyword String	Needle
Bearing number	HK4020
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	40MM Bore; 47MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.060
Manufacturer Name	KOYO
Weight / Kilogram	0.06
Bore Diameter (mm)	40
Outer Diameter (mm)	47
Mounting inner ring	JR35x40x20,5
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK4020
Number of Rows of Rollers	Single Row
(Grease) Lubrication	5200 r/min

Speed	
Basic static load rating (C0)	50.4 kN
Basic dynamic load rating (C)	25.1 kN