



Bearing No. HK4516

D	52 mm
C	16 mm
Cr	19.8
Fw	45 mm
Cu	5.95
C0r	38.5
Noun	Bearing
Bore	1.772 Inch 45 Millimeter
Width	0.63 Inch 16 Millimeter
UNSPSC	31171512
Weight	0.048 Kg
C3(min)	\
rs(min)	1
r5 min.	1 mm
Category	Needle Non Thrust Roller Bearing
Oil lub.	7000
Retainer	Yes
Inventory	0.0
Size (mm)	45x52x16
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Closed End	No
Width (mm)	16
Grease lub.	4600
Bearing No.	HK4516
Weight / LBS	0.106

Product Group	B04144
Inch - Metric	Metric
Self Aligning	No
Keyword String	Needle
Bearing number	HK4516
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Long Description	45MM Bore; 52MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	0.048
Outside Diameter	2.047 Inch 52 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.049
Bore Diameter (mm)	45
Outer Diameter (mm)	52
Mounting inner ring	JR40x45x17
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	HK4516
Number of Rows of Rollers	Single Row

(Grease) Lubrication Speed	4600 r/min
Basic static load rating (C0)	38.5 kN
Basic dynamic load rating (C)	19.8 kN