



Bearing No. 6026

D	200 mm
d	130 mm
B	33 mm
C	33 mm
f0	15.8
Cu	4.45
Cr	133
C0r	101
Bore	5.118 Inch 130 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	3,16 Kg
r(min)	2
r min.	2 mm
da min.	139 mm
ra(max)	2
Da max.	191 mm
Da(max)	191
da(min)	139
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	3800
Inventory	0.0
Enclosure	Open
Size (mm)	130x200x33
Snap Ring	No
Width (mm)	33
Grease lub.	3200
Bearing No.	6026

Weight / LBS	7.786
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6026
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	130MM Bore; 200MM Outside Diameter; 33MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	7.874 Inch 200 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
(Refer.)Mass(kg)	3.16
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	3.535
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	3800 r/min
Manufacturer Item Number	6026
Internal Special Features	No
(Grease) Lubrication Speed	3200 r/min

Basic static load rating (C0)	101 kN
Basic dynamic load rating (C)	106 kN
Maximum Capacity / Filling Slot	No