



Bearing No. 6026LLU

C	33 mm
d	130 mm
D	200 mm
B	33 mm
Noun	Bearing
Bore	5.118 Inch 130 Millimeter
da max	148 mm
UNSPSC	31171504
Weight	3,16 Kg
r min.	2 mm
da min.	139 mm
Da max.	191 mm
ra max.	2 mm
Category	Single Row Ball Bearing
Enclosure	2 Seals
Size (mm)	130x200x33
Inventory	0.0
Snap Ring	No
Width (mm)	33
bore type:	Round
Weight / LBS	6.97
closure type:	Double Sealed
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Ball
overall width:	33 mm
bore diameter:	130 mm
Enclosure Type	Contact Seal

Bearing number	6026LLU
fillet radius:	2 mm
cage material:	Steel
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Reference speed	1 900 r/min
Precision Class	ABEC 1 ISO P0
Long Description	130MM Bore; 200MM Outside Diameter; 33MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	1.299 Inch 33 Millimeter
Outside Diameter	7.874 Inch 200 Millimeter
Weight / Kilogram	3.16
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
outside diameter:	200 mm
inner ring width:	33 mm
outer ring width:	33 mm
precision rating:	ISO Class 0
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
snap ring included:	Without Snap Ring
Outer Diameter (mm)	200
internal clearance:	CN
Minimum Buy Quantity	N/A
static load capacity:	101000 N

maximum rpm (grease):	1900 rpm
row type & fill slot:	Single Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	106000 N
Manufacturer Item Number	6026LLU/2A
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Basic static load rating (C0)	101 kN
Basic dynamic load rating (C)	106 kN
Maximum Capacity / Filling Slot	No