




Bearing No. 6030ZZ

C	35 mm
d	150 mm
D	225 mm
B	35 mm
Bore	5.906 Inch 150 Millimeter
Noun	Bearing
Weight	4,08 Kg
da max	169 mm
r min.	2,1 mm
UNSPSC	31171504
da min.	161 mm
Da max.	214 mm
ra max.	2 mm
Category	Single Row Ball Bearing
Snap Ring	No
Enclosure	2 Metal Shields
Size (mm)	150x225x35
Inventory	0.0
bore type:	Round
Width (mm)	35
Weight / LBS	8.99
Product Group	B00308
closure type:	Double Shielded
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
bore diameter:	150 mm
overall width:	35 mm
Bearing number	6030ZZ

Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	1.378 Inch 35 Millimeter
Outside Diameter	8.858 Inch 225 Millimeter
Long Description	150MM Bore; 225MM Outside Diameter; 35MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
outside diameter:	225 mm
Manufacturer Name	NTN
Weight / Kilogram	4.08
Bore Diameter (mm)	150
Internal Clearance	C0-Medium
internal clearance:	CN
Outer Diameter (mm)	225
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6030ZZ/2A
manufacturer upc number:	4547359551457
Internal Special Features	No
(Grease) Lubrication Speed	2 800 r/min
Basic dynamic load rating (C)	126 kN
Basic static load rating	126 kN

(C0)	
Maximum Capacity / Filling Slot	No