



Bearing No. 6038

D	290 mm
d	190 mm
B	46 mm
C	46 mm
r	2.1
Z_	14
B_	46
ra	2
C0	201
fo	15.8
D_	290
D_a	279
DE_	270.162
DA_	30.162
SRI	15.61
DI_	209.838
SRE	15.61
SREN	-0.065
Bore	7.48 Inch 190 Millimeter
mass	9.39
SBRG	10
Noun	Bearing
SRIX	0.065
KBRG	6101
SRIN	-0.065
SREX	0.065
SDM_	240
bomp	0
yobi	6038

LangID	1
da min	201
UNSPSC	31171504
Weight	9,39 Kg
C_conv	188000
da max	218
ALPHA_	0
r min.	2,1 mm
da min.	210 mm
Oil rpm	2400
Da max.	273 mm
ra max.	2 mm
GRS rpm	2000
hidYobi	6038
hidTable	ecat_NSRDGB
Category	Single Row Ball Bearing
Size (mm)	190x290x46
Snap Ring	No
Enclosure	Open
Inventory	0.0
Width (mm)	46
Prod_Type3	DGBB_SR_OT
Weight / LBS	20.705
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel
Bearing number	6038
Keyword String	Ball
Other Features	Deep Groove
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	190MM Bore; 290MM Outside Diameter;

	46MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Inner Race Width	0 Inch 0 Millimeter
Manufacturer URL	http://www.nskamericas.com
Outer Race Width	1.811 Inch 46 Millimeter
Outside Diameter	11.417 Inch 290 Millimeter
Weight / Kilogram	10
Manufacturer Name	NSK
Internal Clearance	C0-Medium
Bore Diameter (mm)	190
Outer Diameter (mm)	290
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	No
Basic static load rating (C0)	201 kN
Basic dynamic load rating (C)	188 kN
Maximum Capacity / Filling Slot	No