



Bearing No. J-2212

D	41.275 mm
C	19.05 mm
Fw	34.925 mm
Cr	22.82
Cu	6.65
C0r	42.97
Noun	Roller Assembly with Outer Ring
Bore	1.375 Inch 34.925 Millimeter
Width	0.75 Inch 19.05 Millimeter
UNSPSC	31171512
Y(max)	\
Weight	0.035 Kg
Oil lub.	9200
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	34.925x41.275x19.05
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Inventory	0.0
Width (mm)	19.05
Closed End	No
Grease lub.	6000
Bearing No.	J-2212
Weight / LBS	0.077
Product Group	B04144

Self Aligning	No
Inch - Metric	Inch
Keyword String	Bearing Needle
Bearing number	J-2212
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Outside Diameter	1.625 Inch 41.275 Millimeter
(Refer.)Mass(kg)	0.035
Manufacturer URL	http://www.koyousa.com
Long Description	1-3/8" Bore; 1-5/8" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not S
Manufacturer Name	KOYO
Weight / Kilogram	0.04
Bore Diameter (mm)	34.925
Outer Diameter (mm)	41.275
Mounting inner ring	IR-1812
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30
Manufacturer Item Number	J-2212
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	6000 r/min

Basic static load rating (C0)	42.97 kN
Basic dynamic load rating (C)	22.82 kN