




Bearing No. NU334EM

S	1,7 mm
D	360 mm
r	4
C	72 mm
B	72 mm
d	170 mm
Fw	218 mm
ra	3
Z_	14
rb	3
C0	1150
r1	4
da	186
D_	360
B_	72
DE_	318
DA_	50
DI_	218
yobi	NU334EM
SDM_	268
KBRG	4145
mass	37.3
SBRG	3
dd min	241
ALPHA_	0
dc min	223
db max	213
C_conv	930000
LangID	1
Weight	37,9 Kg

r min.	4 mm
db min	186 mm
hidYobi	NU334EM
ra max.	3 mm
rb max.	3 mm
db max.	213 mm
Da max.	344 mm
TSR rpm	1800
D_a max	344
GRS rpm	1600
da min.	186 mm
r1 min.	4 mm
Oil rpm	2000
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	170x360x72
Macha rpm	3400
Inventory	0.0
Width (mm)	72
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU334EM
Manufacturer Name	NSK
Weight / Kilogram	40
Bore Diameter (mm)	170
Outer Diameter (mm)	360
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 600 r/min
Basic dynamic load rating (C)	930 kN
Basic static load rating (C0)	1150 kN

