


**Bearing No. JH-2212**



D	44.450 mm
C	19.05 mm
Fw	34.925 mm
Cr	26.24
Cu	5.90
C0r	38.43
Noun	Bearing
Bore	1.375 Inch   34.925 Millimeter
Width	0.75 Inch   19.05 Millimeter
UNSPSC	31171512
Y(max)	1.27
Weight	0.055 Kg
Oil lub.	9400
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	34.925x44.450x19.05
Separable	No
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Inventory	0.0
Width (mm)	19.05
Closed End	No
Grease lub.	6100
Bearing No.	JH-2212
Weight / LBS	0.121
Product Group	B04144
Self Aligning	No

Inch - Metric	Inch
Keyword String	Needle
Bearing number	JH-2212
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage   Heavy Duty
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
(Refer.)Mass(kg)	0.055
Long Description	1-3/8" Bore; 1-3/4" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of R
Outside Diameter	1.75 Inch   44.45 Millimeter
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.06
Manufacturer Name	KOYO
Bore Diameter (mm)	34.925
Outer Diameter (mm)	44.450
Mounting inner ring	IR-1812
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	JH-2212
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	6100 r/min
Basic static load rating (C0)	38.43 kN

Basic dynamic load rating (C)	26.24 kN
-------------------------------	----------