




Bearing No. NK8/12-TV

	/ With closing rings, without lubrication hole and without lubrication groove.
D	15 mm
C	12 mm
m	8,7 g / Weight
Bore	0.315 Inch 8 Millimeter
Noun	Bearing
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	8x15x12
Inventory	0.0
Separable	No
Closed End	No
Width (mm)	12
Weight / LBS	0.019
n_G	32500 1/min / Limiting speed
C_r	4450 N / Dynamic load rating (radial)
Product Group	B04144
F_w	8 mm
Self Aligning	No
Inch - Metric	Metric

n_B	27000 1/min / Reference speed
Other Features	2 Rib Outer Ring Radial Precision Bearing Plastic Cage Light Duty Ground Raceway with Rib
Thrust Bearing	No
Relubricatable	No
Keyword String	Needle
Bearing number	NK8/12-TV
C_{ur}	690 N / Fatigue limit load, radial
C_{Or}	4100 N / Static load rating (radial)
r_{min}	0,3 mm
Rolling Element	Needle Roller Bearing
Long Description	8MM Bore; 15MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No
Manufacturer URL	http://www.ina.com
Outside Diameter	0.591 Inch 15 Millimeter
Weight / Kilogram	0.01
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	8
Outer Diameter (mm)	15
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item	NK8/12TN



Number	
Number of Rows of Rollers	Single Row