




Bearing No. 607

D	19 mm
d	7 mm
B	6 mm
C	6 mm
Cr	2.95
f0	12.3
Cu	0.040
C0r	0.89
Bore	0.276 Inch 7 Millimeter
Noun	Bearing
r(min)	0.3
Weight	0,0076 Kg
UNSPSC	31171504
r min.	0,3 mm
r1 min.	0,3 mm
da min.	9 mm
ra max.	0,3 mm
da(min)	9
Da(max)	17
ra(max)	0.3
Da max.	17 mm
Oil lub.	47000
Category	Single Row Ball Bearing
Size (mm)	7x19x6
Snap Ring	No
Enclosure	Open
Inventory	0.0
Width (mm)	6
Bearing No.	607
Grease lub.	40000

Weight / LBS	0.0168
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	607
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(g)	7.6
Manufacturer URL	http://www.koyousa.com
Long Description	7MM Bore; 19MM Outside Diameter; 6MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outer Race Width	0.236 Inch 6 Millimeter
Outside Diameter	0.748 Inch 19 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0
Internal Clearance	C0-Medium
Bore Diameter (mm)	7
Outer Diameter (mm)	19
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	47000 r/min
Internal Special Features	No
(Grease) Lubrication	40000 r/min

Speed	
Basic static load rating (C0)	1,05 kN
Basic dynamic load rating (C)	2,6 kN
Maximum Capacity / Filling Slot	No