



Bearing No. NK8/12

D	15 mm
C	12 mm
Fw	8 mm
Cr	4.57
Cu	0.740
C0r	4.89
Noun	Bearing
Bore	0.315 Inch 8 Millimeter
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Weight	0,011 Kg
rs(min)	0.3
r5 min.	0,3 mm
Oil lub.	41000
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	8x15x12
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Separable	No
Inventory	0.0
Width (mm)	12
Closed End	No
Grease lub.	26000
Bearing No.	NK8/12
Weight / LBS	0.024
Product Group	B04144

Self Aligning	No
Inch - Metric	Metric
Keyword String	Needle
Bearing number	NK8/12
Other Features	Outer Ring with 2 Retaining Rings Steel Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Manufacturer URL	http://www.koyousa.com
Outside Diameter	0.591 Inch 15 Millimeter
Long Description	8MM Bore; 15MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No
(Refer.)Mass(kg)	0.011
Weight / Kilogram	0.014
Manufacturer Name	KOYO
Bore Diameter (mm)	8
Outer Diameter (mm)	15
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NK8/12
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	26000 r/min
Basic static load rating	4,89 kN

(C0)	
Basic dynamic load rating (C)	4,57 kN