



Bearing No. 607LLU

D	19,000 mm
C	6,000 mm
B	6,000 mm
d	7,000 mm
Noun	Bearing
Bore	0.276 Inch 7 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Enclosure	2 Seals
Snap Ring	No
Inventory	0.0
Size (mm)	7x19x6
Width (mm)	6,000
bore type:	Round
Weight / LBS	0.018
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
closure type:	Double Sealed
overall width:	6 mm
cage material:	Steel
bore diameter:	7 mm
fillet radius:	0.3 mm
Keyword String	Ball
Bearing number	607LLU
Enclosure Type	Contact Seal
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
finish/coating:	Uncoated
Long Description	7MM Bore; 19MM

	Outside Diameter; 6MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.236 Inch 6 Millimeter
Outside Diameter	0.748 Inch 19 Millimeter
precision rating:	ISO Class 0
outer ring width:	6 mm
inner ring width:	6 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.008
outside diameter:	19 mm
Bore Diameter (mm)	7,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	19,000
snap ring included:	Without Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
static load capacity:	910 N
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	28000 rpm
dynamic load capacity:	2240 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	607LLU/2A
Internal Special Features	No
manufacturer product	Click here

page:	
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No