




Bearing No. NU238EM

S	1,7 mm
D	340 mm
r	4
C	55 mm
B	55 mm
d	190 mm
Fw	230 mm
ra	3
Z_	19
rb	3
C0	955
r1	4
da	206
D_	340
B_	55
DE_	306
DA_	38
DI_	230
yobi	NU238EM
SDM_	268
KBRG	4145
mass	22.5
SBRG	2
dd min	247
ALPHA_	0
dc min	234
db max	225
C_conv	695000
LangID	1
Weight	23 Kg

r min.	4 mm
db min	206 mm
hidYobi	NU238EM
ra max.	3 mm
rb max.	3 mm
db max.	225 mm
Da max.	324 mm
TSR rpm	2000
D_a max	324
GRS rpm	1800
da min.	206 mm
r1 min.	4 mm
Oil rpm	2200
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	190x340x55
Macha rpm	3400
Inventory	0.0
Width (mm)	55
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU238EM
Manufacturer Name	NSK
Weight / Kilogram	20
Bore Diameter (mm)	190
Outer Diameter (mm)	340
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 800 r/min
Basic dynamic load rating (C)	695 kN
Basic static load rating (C0)	955 kN

