




Bearing No. NU234EM

S	3,8 mm
D	310 mm
r	4
C	52 mm
B	52 mm
d	170 mm
Fw	207 mm
ra	3
Z_	18
rb	3
C0	800
r1	4
da	186
D_	310
B_	52
DE_	279
DA_	36
DI_	207
yobi	NU234EM
SDM_	243
KBRG	4145
mass	17.9
SBRG	2
dd min	223
ALPHA_	0
dc min	211
db max	202
C_conv	605000
LangID	1
Weight	18,3 Kg

r min.	4 mm
db min	186 mm
hidYobi	NU234EM
ra max.	3 mm
rb max.	3 mm
db max.	202 mm
Da max.	294 mm
TSR rpm	2400
D_a max	294
GRS rpm	2000
da min.	186 mm
r1 min.	4 mm
Oil rpm	2400
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	170x310x52
Macha rpm	3800
Inventory	0.0
Width (mm)	52
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU234EM
Manufacturer Name	NSK
Weight / Kilogram	17.5
Bore Diameter (mm)	170
Outer Diameter (mm)	310
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2 000 r/min
Basic dynamic load rating (C)	605 kN
Basic static load rating (C0)	800 kN

