



Bearing No. NU2332EM

S	2,7 mm
D	340 mm
r	4
C	114 mm
B	114 mm
d	160 mm
Fw	204 mm
ra	3
Z_	14
rb	3
C0	1820
r1	4
da	176
D_	340
B_	114
DE_	300
DA_	48
DI_	204
yobi	NU2332EM
SDM_	252
KBRG	4145
mass	53.2
SBRG	23
dd min	228
ALPHA_	0
dc min	211
db max	199
C_conv	1310000
LangID	1
Weight	53,9 Kg

r min.	4 mm
db min	176 mm
hidYobi	NU2332EM
ra max.	3 mm
rb max.	3 mm
db max.	199 mm
Da max.	324 mm
TSR rpm	1800
D_a max	324
GRS rpm	1500
da min.	176 mm
r1 min.	4 mm
Oil rpm	1900
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	160x340x114
Macha rpm	2400
Inventory	0.0
Width (mm)	114
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2332EM
Manufacturer Name	NSK
Weight / Kilogram	55
Bore Diameter (mm)	160
Outer Diameter (mm)	340
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 500 r/min
Basic dynamic load rating (C)	1310 kN
Basic static load rating (C0)	1820 kN

