



Bearing No. NK10/16TN

D	17 mm
C	16 mm
Fw	10 mm
Cr	5.3
Cu	0.940
C0r	6.27
Noun	Bearing
Bore	0.394 Inch 10 Millimeter
Width	0.63 Inch 16 Millimeter
UNSPSC	31171512
Weight	0,015 Kg
rs(min)	0.3
r5 min.	0,3 mm
Oil lub.	39000
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	10x17x16
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Separable	No
Inventory	0.0
Width (mm)	16
Closed End	No
Grease lub.	25000
Bearing No.	NK10/16TN
Weight / LBS	0.033
Product Group	B04144

Self Aligning	No
Inch - Metric	Metric
Keyword String	Needle
Bearing number	NK10/16TN
Other Features	Outer Ring with 2 Retaining Rings Polymer Cage
Thrust Bearing	No
Relubricatable	No
Rolling Element	Needle Roller Bearing
Long Description	10MM Bore; 17MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Outside Diameter	0.669 Inch 17 Millimeter
(Refer.)Mass(kg)	0.015
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.019
Manufacturer Name	KOYO
Bore Diameter (mm)	10
Outer Diameter (mm)	17
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NK10/16TN
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	25000 r/min
Basic static load rating	6,27 kN

(C0)	
Basic dynamic load rating (C)	5,3 kN