




Bearing No. NK10/12-TV

	/ With closing rings, without lubrication hole and without lubrication groove.
D	17 mm
C	12 mm
m	10,1 g / Weight
Bore	0.394 Inch 10 Millimeter
Noun	Roller Assembly with Outer Ring
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	10x17x12
Inventory	0.0
Separable	No
Closed End	No
Width (mm)	12
Weight / LBS	0.022
n_G	29500 1/min / Limiting speed
C_r	5300 N / Dynamic load rating (radial)
Product Group	B04144
F_w	10 mm

Self Aligning	No
Inch - Metric	Metric
n_B	22300 1/min / Reference speed
Other Features	2 Rib Outer Ring Radial Precision Plastic Cage Ground Raceway with Rib
Thrust Bearing	No
Relubricatable	No
Keyword String	Bearing Needle
Bearing number	NK10/12-TV
C_{ur}	930 N / Fatigue limit load, radial
C_{or}	5500 N / Static load rating (radial)
r_{min}	0,3 mm
Rolling Element	Needle Roller Bearing
Long Description	10MM Bore; 17MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Manufacturer URL	http://www.ina.com
Outside Diameter	0.669 Inch 17 Millimeter
Weight / Kilogram	0.01
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	10
Outer Diameter (mm)	17
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.99.65.30



Manufacturer Item Number	NK10/12TN
Number of Rows of Rollers	Single Row