



Bearing No. NU2240EM

S	2,2 mm
D	360 mm
r	4
C	98 mm
B	98 mm
d	200 mm
Fw	241 mm
ra	3
Z_	18
rb	3
C0	1870
r1	4
da	216
D_	360
B_	98
DE_	325
DA_	42
DI_	241
yobi	NU2240EM
SDM_	283
KBRG	4145
mass	45.4
SBRG	22
dd min	261
ALPHA_	0
dc min	247
db max	236
C_conv	1220000
LangID	1
Weight	46,1 Kg

r min.	4 mm
db min	216 mm
hidYobi	NU2240EM
ra max.	3 mm
rb max.	3 mm
db max.	235 mm
Da max.	344 mm
TSR rpm	1800
D_a max	344
GRS rpm	1500
da min.	216 mm
r1 min.	4 mm
Oil rpm	1800
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	200x360x98
Macha rpm	2200
Inventory	0.0
Width (mm)	98
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2240EM
Manufacturer Name	NSK
Weight / Kilogram	45
Bore Diameter (mm)	200
Outer Diameter (mm)	360
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 500 r/min
Basic dynamic load rating (C)	1220 kN
Basic static load rating (C0)	1870 kN

