




Bearing No. NU2236EM

S	2,7 mm
D	320 mm
r	4
C	86 mm
B	86 mm
d	180 mm
Fw	215 mm
ra	3
Z_	18
rb	3
C0	1510
r1	4
da	196
D_	320
B_	86
DE_	291
DA_	38
DI_	215
yobi	NU2236EM
SDM_	253
KBRG	4145
mass	30.9
SBRG	22
dd min	233
ALPHA_	0
dc min	221
db max	210
C_conv	1010000
LangID	1
Weight	31,4 Kg

r min.	4 mm
db min	196 mm
hidYobi	NU2236EM
ra max.	3 mm
rb max.	3 mm
db max.	210 mm
Da max.	304 mm
TSR rpm	2000
D_a max	304
GRS rpm	1700
da min.	196 mm
r1 min.	4 mm
Oil rpm	2000
Category	Bearings
hidTable	ecat_NSCLDR
Size (mm)	180x320x86
Macha rpm	3200
Inventory	0.0
Width (mm)	86
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2236EM
Manufacturer Name	NSK
Weight / Kilogram	29.5
Bore Diameter (mm)	180
Outer Diameter (mm)	320
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1 700 r/min
Basic dynamic load rating (C)	36,8 kN
Basic static load rating (C0)	1510 kN

