



Bearing No. NU2228EM

S	2,5 mm
D	250 mm
r	3
C	68 mm
B	68 mm
d	140 mm
Fw	169 mm
ra	2.5
Z_	18
rb	2.5
C0	790
r1	3
da	153
D_	250
B_	68
DE_	225
DA_	28
DI_	169
yobi	NU2228EM
SDM_	197
KBRG	4145
mass	15
SBRG	22
dd min	182
ALPHA_	0
dc min	171
db max	165
C_conv	550000
LangID	1
Weight	15,2 Kg

r min.	3 mm
db min	153 mm
hidYobi	NU2228EM
ra max.	2,5 mm
rb max.	2,5 mm
db max.	165 mm
Da max.	237 mm
TSR rpm	3200
D_a max	237
GRS rpm	2200
da min.	153 mm
r1 min.	3 mm
Oil rpm	2800
Category	Roller Bearings
hidTable	ecat_NSCLDR
Size (mm)	140x250x68
Macha rpm	4000
Inventory	0.0
Width (mm)	68
Prod_Type3	CRB_SR_NU
Product Group	B04144
Bearing number	NU2228EM
Manufacturer Name	NSK
Weight / Kilogram	13
Bore Diameter (mm)	140
Outer Diameter (mm)	250
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2 200 r/min
Basic dynamic load rating (C)	550 kN
Basic static load rating (C0)	790 kN

