



Bearing No. BT2B 332446

a	287 mm
d	536.575 mm
D	761.873 mm
T	311.15 mm
C	247.65 mm
Size (mm)	761.873x536.575x311.1 5
Width (mm)	311,15
Mass bearing	430 kg
Bearing number	BT2B 332446
Thrust factor K	1.76
Thrust factor - K	1.76
Bore Diameter (mm)	761,873
Outer Diameter (mm)	536,575
Calculation factor e	0.33
r <sub>3,4</sub> min.	1.5 mm
r <sub>1,2</sub> min.	6.4 mm
d <sub>1</sub> ?	641 mm
D <sub>1</sub> ?	726 mm
r <sub>1,2</sub> - min.	6.4 mm
Design variant/feature	TDO/DC
r <sub>3,4</sub> - min.	1.5 mm
Calculation factor - e	0.33
Basic dynamic load rating C	6270 kN
Basic dynamic load rating - C	6270 kN
Fatigue load limit P <sub>u</sub>	1100 kN
Calculation factor Y <sub>0</sub>	2
Calculation factor Y <sub>2</sub>	3
Calculation factor Y <sub>1</sub>	2

Calculation factor - $Y_0$	2
Calculation factor - $Y_1$	2
Calculation factor - $Y_2$	3
Fatigue load limit - $P_u$	1100 kN
Basic static load rating $C_0$	16000 kN
Basic static load rating - $C_0$	16000 kN
Comparative radial load rating $C_F$	1560 kN
Comparative axial load rating $C_{Fa}$	500 kN
Comparative radial load rating - $C_F$	1560 kN
Comparative axial load rating - $C_{Fa}$	500 kN