



Bearing No. BT2B 332673/HA4

a	1963 mm
d	2184.4 mm
D	2527.3 mm
T	304.8 mm
C	165.1 mm
Size (mm)	2527.3x2184.4x304.8
Width (mm)	304,8
Mass bearing	2230 kg
Bearing number	BT2B 332673/HA4
Thrust factor K	0.5
Thrust factor - K	0.5
Bore Diameter (mm)	2527,3
Outer Diameter (mm)	2184,4
Calculation factor e	1.17
r <sub>3,4</sub> min.	5 mm
r <sub>1,2</sub> min.	16 mm
d <sub>1</sub> ?	2400 mm
D <sub>1</sub> ?	2470 mm
r <sub>1,2</sub> - min.	16 mm
Design variant/feature	TDOS.1
r <sub>3,4</sub> - min.	5 mm
Calculation factor - e	1.15
Basic dynamic load rating C	9350 kN
Basic dynamic load rating - C	9350 kN
Fatigue load limit P <sub>u</sub>	1900 kN
Calculation factor Y <sub>0</sub>	0.56
Calculation factor Y <sub>2</sub>	0.86
Calculation factor Y <sub>1</sub>	0.58
Calculation factor - Y <sub>0</sub>	0.58

Calculation factor - $Y_1$	0.59
Calculation factor - $Y_2$	0.88
Fatigue load limit - $P_u$	1900 kN
Basic static load rating $C_0$	37500 kN
Basic static load rating - $C_0$	37500 kN
Comparative radial load rating $C_F$	2280 kN
Comparative axial load rating $C_{Fa}$	2580 kN
Comparative radial load rating - $C_F$	2280 kN
Comparative axial load rating - $C_{Fa}$	2580 kN