




Bearing No. NA6919-ZW

D	130 mm
d	95 mm
B	63 mm
F	110 mm
s	1 mm / Axial displacement
m	2500 g / Weight
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
Width	2.48 Inch 63 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Enclosure	Open
Component	Complete with Outer and Inner Ring
Size (mm)	95x130x63
Inventory	0.0
Separable	Inner Ring - Both Sides
Width (mm)	63
Closed End	No
Weight / LBS	5.513
n_B	2600 1/min / Reference speed
Product Group	B04144
C_r	197000 N / Dynamic load rating (radial)
Self Aligning	No
Inch - Metric	Metric
n_G	4200 1/min / Limiting speed

Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Keyword String	Needle
Bearing number	NA6919-ZW
C _{ur}	76000 N / Fatigue limit load, radial
C _{Or}	440000 N / Static load rating (radial)
r _{min}	1,1 mm
Rolling Element	Needle Roller Bearing
Long Description	95MM Bore; 130MM Outside Diameter; 63MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open; Not Self Aligning; Retainer; Double Row of Rollers; Inner Ring - Both Sides Separable; N
Manufacturer URL	http://www.ina.com
Outside Diameter	5.118 Inch 130 Millimeter
Weight / Kilogram	2.5
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	95
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NA6919
Number of Rows of	Double Row

Rollers	
---------	--