




Bearing No. NA6918-ZW

D	125 mm
d	90 mm
B	63 mm
F	105 mm
s	1 mm / Axial displacement
m	2310 g / Weight
Bore	3.543 Inch 90 Millimeter
Noun	Bearing
Width	2.48 Inch 63 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Enclosure	Open
Component	Complete with Outer and Inner Ring
Size (mm)	90x125x63
Inventory	0.0
Separable	Inner Ring - Both Sides
Width (mm)	63
Closed End	No
Weight / LBS	5.094
n_B	2700 1/min / Reference speed
Product Group	B04270
C_r	195000 N / Dynamic load rating (radial)
Self Aligning	No
Inch - Metric	Metric
n_G	4400 1/min / Limiting

	speed
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Keyword String	Needle
Bearing number	NA6918-ZW
C_{ur}	74000 N / Fatigue limit load, radial
C_{Or}	425000 N / Static load rating (radial)
r_{min}	1,1 mm
Rolling Element	Needle Roller Bearing
Long Description	90MM Bore; 125MM Outside Diameter; 63MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Double Row of Rollers; Inner Ring - Both Sides Sep
Manufacturer URL	http://www.ina.com
Outside Diameter	4.921 Inch 125 Millimeter
Weight / Kilogram	2.766
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	90
Outer Diameter (mm)	125
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item	NA6918



Number	
Number of Rows of Rollers	Double Row