




Bearing No. NA6916-ZW

S	1 mm / Axial displacement
D	110 mm
m	1522 g / Weight
F	90 mm
B	54 mm
d	80 mm
Noun	Bearing
Bore	3.15 Inch 80 Millimeter
Width	2.126 Inch 54 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Complete with Outer and Inner Ring
Separable	Inner Ring - Both Sides
Inventory	0.0
Size (mm)	80x110x54
Width (mm)	54
Closed End	No
Weight / LBS	3.356
n_B	3000 1/min / Reference speed
Inch - Metric	Metric
Product Group	B04144
n_G	5100 1/min / Limiting speed
C_r	153000 N / Dynamic load rating (radial)

Self Aligning	No
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	NA6916-ZW
Keyword String	Needle
Thrust Bearing	No
C _{ur}	53000 N / Fatigue limit load, radial
C _{Or}	300000 N / Static load rating (radial)
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
r _{min}	1 mm
Manufacturer URL	http://www.ina.com
Long Description	80MM Bore; 110MM Outside Diameter; 54MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open; Not Self Aligning; Retainer; Double Row of Rollers; Inner Ring - Both Sides Separable; N
Outside Diameter	4.331 Inch 110 Millimeter
Weight / Kilogram	1.52
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	80
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NA6916



Number of Rows of Rollers	Double Row
------------------------------	------------