




Bearing No. NA6910-ZW

D	72 mm
d	50 mm
B	40 mm
F	58 mm
s	0,5 mm / Axial displacement
m	515 g / Weight
Bore	1.969 Inch 50 Millimeter
Noun	Bearing
Width	1.575 Inch 40 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Enclosure	Open
Component	Complete with Outer and Inner Ring
Size (mm)	50x72x40
Inventory	0.0
Separable	Inner Ring - Both Sides
Width (mm)	40
Closed End	No
Weight / LBS	1.136
n_B	4400 1/min / Reference speed
Product Group	B04270
C_r	82000 N / Dynamic load rating (radial)
Self Aligning	No
Inch - Metric	Metric

n_G	7800 1/min / Limiting speed
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Keyword String	Needle
Bearing number	NA6910-ZW
C_{ur}	23400 N / Fatigue limit load, radial
C_{Or}	139000 N / Static load rating (radial)
r_{min}	0,6 mm
Rolling Element	Needle Roller Bearing
Long Description	50MM Bore; 72MM Outside Diameter; 40MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Double Row of Rollers; Inner Ring - Both Sides Sepa
Manufacturer URL	http://www.ina.com
Outside Diameter	2.835 Inch 72 Millimeter
Weight / Kilogram	0.617
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	50
Outer Diameter (mm)	72
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00



Manufacturer Item Number	NA6910
Number of Rows of Rollers	Double Row