




Bearing No. NA6902

D	28 mm
d	15 mm
B	23 mm
F	20 mm
s	1 mm / Axial displacement
m	63,6 g / Weight
Bore	0.591 Inch 15 Millimeter
Noun	Bearing
Width	0.906 Inch 23 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Enclosure	Open
Component	Complete with Outer and Inner Ring
Size (mm)	15x28x23
Inventory	0.0
Separable	Inner Ring - Both Sides
Width (mm)	23
Closed End	No
Weight / LBS	0.14
n_B	11700 1/min / Reference speed
Product Group	B04270
C_r	19500 N / Dynamic load rating (radial)
Self Aligning	No
Inch - Metric	Metric

n_G	21100 1/min / Limiting speed
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Keyword String	Needle
Bearing number	NA6902
C_{ur}	4450 N / Fatigue limit load, radial
C_{Or}	25500 N / Static load rating (radial)
r_{min}	0,3 mm
Rolling Element	Needle Roller Bearing
Long Description	15MM Bore; 28MM Outside Diameter; 23MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0.06
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	15
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00



Manufacturer Item Number	NA6902
Number of Rows of Rollers	Single Row