



Bearing No. 331500

a	269 mm
d	609.6 mm
D	820 mm
T	206.375 mm
C	158.75 mm
Size (mm)	820x609.6x206.375
Width (mm)	206,375
Mass bearing	292 kg
Bearing number	331500
Thrust factor K	1.58
Thrust factor - K	1.58
Bore Diameter (mm)	820
Outer Diameter (mm)	609,6
Calculation factor e	0.37
r _{3,4} min.	1.5 mm
r _{1,2} min.	6.4 mm
d ₁ ?	687 mm
D ₁ ?	755 mm
r _{1,2} - min.	6.4 mm
Design variant/feature	TDO/D
r _{3,4} - min.	1.5 mm
Calculation factor - e	0.37
Basic dynamic load rating C	4020 kN
Basic dynamic load rating - C	4020 kN
Fatigue load limit P _u	750 kN
Calculation factor Y ₀	1.8
Calculation factor Y ₂	2.7
Calculation factor Y ₁	1.8
Calculation factor - Y ₀	1.8

Calculation factor - Y_1	1.8
Calculation factor - Y_2	2.7
Fatigue load limit - P_u	750 kN
Basic static load rating C_0	10600 kN
Basic static load rating - C_0	10600 kN
Comparative radial load rating C_F	980 kN
Comparative axial load rating C_{Fa}	354 kN
Comparative radial load rating - C_F	980 kN
Comparative axial load rating - C_{Fa}	354 kN