



Bearing No. 331657

a	256 mm
d	479.425 mm
D	679.45 mm
T	276.225 mm
C	222.25 mm
Size (mm)	679.45x479.425x276.225
Width (mm)	276,225
Mass bearing	302 kg
Bearing number	331657
Thrust factor K	1.76
Thrust factor - K	1.76
Bore Diameter (mm)	679,45
Outer Diameter (mm)	479,425
Calculation factor e	0.33
$r_{3,4}$ min.	1.5 mm
$r_{1,2}$ min.	6.4 mm
d_1 ?	572 mm
D_1 ?	651 mm
$r_{1,2}$ - min.	6.4 mm
Design variant/feature	TDO/XDC
$r_{3,4}$ - min.	1.5 mm
Calculation factor - e	0.33
Basic dynamic load rating C	5010 kN
Basic dynamic load rating - C	5010 kN
Fatigue load limit P_u	915 kN
Calculation factor Y_0	2
Calculation factor Y_2	3
Calculation factor Y_1	2

Calculation factor - Y_0	2
Calculation factor - Y_1	2
Calculation factor - Y_2	3
Fatigue load limit - P_u	915 kN
Basic static load rating C_0	12700 kN
Basic static load rating - C_0	12700 kN
Comparative radial load rating C_F	1250 kN
Comparative axial load rating C_{Fa}	409 kN
Comparative radial load rating - C_F	1250 kN
Comparative axial load rating - C_{Fa}	409 kN