




Bearing No. 16015

D	115 mm
d	75 mm
B	13 mm
C	13 mm
f0	16.4
Cu	1.35
Cr	34.4
C0r	25.3
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,457 Kg
r(min)	0.6
r min.	0,6 mm
da min.	79 mm
ra(max)	0.6
Da max.	111 mm
Da(max)	111
da(min)	79
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	6700
Inventory	0.0
Enclosure	Open
Size (mm)	75x115x13
Snap Ring	No
Width (mm)	13
Grease lub.	5700
Bearing No.	16015

Weight / LBS	1.00751
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	16015
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.457
Manufacturer URL	http://www.koyousa.com
Outer Race Width	0.512 Inch 13 Millimeter
Long Description	75MM Bore; 115MM Outside Diameter; 13MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	4.528 Inch 115 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	115
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	6700 r/min
Internal Special Features	No

(Grease) Lubrication Speed	5700 r/min
Basic static load rating (C0)	25,3 kN
Basic dynamic load rating (C)	27,5 kN
Maximum Capacity / Filling Slot	No