




Bearing No. 62/32

D	65 mm
d	32 mm
B	17 mm
C	17 mm
f0	13.3
Cr	29.4
Cu	0.990
C0r	13.1
Bore	1.26 Inch 32 Millimeter
Noun	Bearing
Weight	0,228 Kg
r(min)	1
UNSPSC	31171504
r min.	1 mm
ra max.	1 mm
da(min)	37
ra(max)	1
Da max.	60 mm
da min.	37 mm
Da(max)	60
Oil lub.	12000
Category	Single Row Ball Bearing
Snap Ring	No
Size (mm)	32x65x17
Enclosure	Open
Inventory	0.0
Width (mm)	17
Bearing No.	62/32
Grease lub.	10000
Weight / LBS	0.503

Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	62/32
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.228
Manufacturer URL	http://www.koyousa.com
Long Description	32MM Bore; 65MM Outside Diameter; 17MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.669 Inch 17 Millimeter
Outside Diameter	2.559 Inch 65 Millimeter
Manufacturer Name	KOYO
Weight / US pound	0.38
Internal Clearance	C0-Medium
Bore Diameter (mm)	32
Outer Diameter (mm)	65
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	12000 r/min
Internal Special Features	No
(Grease) Lubrication Speed	10000 r/min
Basic static load rating (C0)	13,1 kN
Basic dynamic load	23,5 kN

rating (C)	
Maximum Capacity / Filling Slot	No