




Bearing No. NA4908

S	1 mm / Axial displacement
D	62 mm
m	230 g / Weight
F	48 mm
B	22 mm
d	40 mm
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	0.866 Inch 22 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Complete with Outer and Inner Ring
Separable	Inner Ring - Both Sides
Inventory	0.0
Size (mm)	40x62x22
Width (mm)	22
Closed End	No
Weight / LBS	0.507
n_B	5300 1/min / Reference speed
Inch - Metric	Metric
Product Group	B04270
n_G	9200 1/min / Limiting speed
C_r	48500 N / Dynamic load rating (radial)

Self Aligning	No
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	NA4908
Keyword String	Needle
Thrust Bearing	No
C _{ur}	11500 N / Fatigue limit load, radial
C _{or}	67000 N / Static load rating (radial)
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
r _{min}	0,6 mm
Manufacturer URL	http://www.ina.com
Long Description	40MM Bore; 62MM Outside Diameter; 22MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Outside Diameter	2.441 Inch 62 Millimeter
Weight / Kilogram	0.23
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	40
Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item	NA4908



Number	
Number of Rows of Rollers	Single Row